

Claim 1 (once amended). An advertising device adapted for mounting on a vehicle comprising:

(a) a frame and a center section forming the advertising device;

(b) the advertising device being adapted for securing to a license plate area of a vehicle;

(c) the frame being securable to the vehicle;

(d) the frame and the center section being adapted to have advertising thereon; and

(e) the frame being separable from the center section.

Sub 11 > Claim 2 (once amended). The advertising device of Claim 1 wherein:

(a) the frame has at least one slit separating the center portion from the frame;

(b) the frame has at least one tab connecting the center portion to the frame;

(c) the at least one tab is capable of being severed in order to separate the center portion from the frame;

(d) the at least one slit and at least one tab provides [providing] a shape for the center portion relative to the frame.

Claim 3 (once amended). The advertising device of Claim 2 wherein:

a1 (a) the frame separates from the center portion by severing all members of the class consisting of the at least one tab; and

(b) the frame includes at least one aperture for securing the advertising device to the vehicle.

Claim 5. (once amended) The advertising device of Claim 2 wherein:

a2 (a) the frame separates from the center portion by severing all members of the class consisting of the at least one tab; and

(b) the frame including at least one aperture for securing the frame to the vehicle.

Claim 7. (once amended) In a vehicle having at least one advertisement thereon, the improvement comprising an advertising device with the at least one advertisement thereon adapted for mounting on the vehicle, the improvement further comprising:

a3 (a) the advertising device having a multiplicity of uses;

(b) the advertising device including a frame and a center section;

(c) the advertising device being adapted for securing to a license plate area of a vehicle;

(d) the frame being securable to the vehicle;

(e) the frame and the center section being adapted to have advertising thereon; and

(f) the frame being separable from the center section.

03
sub 02 > Claim 8. (once amended) The vehicle of Claim 7 wherein:

(a) the frame has at least one slit separating the center portion from the frame;

(b) the frame has at least one tab connecting the center portion to the frame;

(c) the at least one tab provides for severing the center portion from the frame; and

(d) the at least one slit and the at least one tab provides a shape for the center portion relative to the frame.

Claim 9. (once amended) The vehicle of Claim 8 wherein:

(a) the frame separates from the center portion by severing all members of the class consisting of the at least one tab; and

(b) the frame includes at least one aperture for securing the advertising device to the vehicle.

04
Claim 11. (once amended) The vehicle of Claim 8 wherein:

(a) the frame separates from the center portion by severing all members of the class consisting of the at least one tab; and

(b) the frame includes at least one aperture for securing the frame to the vehicle.

DRAWING CORRECTIONS

New formal drawings are submitted as requested by the